

Refine Search

Search Results -

Terms	Documents
L72 and @pd > 20061017	4

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L73

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, February 21, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L73</u> L72 and @pd > 20061017	4	<u>L73</u>
<u>L72</u> L71 and L60	69	<u>L72</u>
<u>L71</u> (user same interface) with (web adj browser) and (access\$ near3 network) and (internet or intranet with common same language)	3746	<u>L71</u>
<u>L70</u> (user same interface) with (web adj browser) and (access\$ near3 network)	3812	<u>L70</u>
<u>L69</u> (user same interface) with (web adj browser)	8235	<u>L69</u>
<u>L68</u> ((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file) and (syndicat\$ same repository)	2	<u>L68</u>
<u>L67</u> ((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file)	1930	<u>L67</u>
<u>L66</u> (updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)	1930	<u>L66</u>
(((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user		

<u>L65</u>	interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file"))	6	<u>L65</u>
<u>L64</u>	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file" near3 network))	0	<u>L64</u>
<u>L63</u>	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database))	207	<u>L63</u>
<u>L62</u>	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).clm.	2	<u>L62</u>
<u>L61</u>	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).ab.	0	<u>L61</u>
<u>L60</u>	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)	208	<u>L60</u>
<u>L59</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)	271	<u>L59</u>
<u>L58</u>	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (search\$ or quer\$)	2	<u>L58</u>
<u>L57</u>	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	3	<u>L57</u>
<u>L56</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	790	<u>L56</u>
<u>L55</u>	705/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	228	<u>L55</u>
<u>L54</u>	709/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	290	<u>L54</u>
<u>L53</u>	707/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	619	<u>L53</u>
<u>L52</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content)	1647	<u>L52</u>
<u>L51</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (publish\$ sam4 content)	0	<u>L51</u>
<u>L50</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema	12932	<u>L50</u>
<u>L49</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database)	216719	<u>L49</u>

L48	("content-rich repository" or "rich-content repository") and (content same file)	3	L48
L47	("content-rich repository" or "rich-content repository") and (database adj, structure near3 "delta analysis")	0	L47
L46	("content-rich repository" or "rich-content repository") and (database adj, structure)	3	L46
L45	("content-rich repository" or "rich-content repository") and schema	3	L45
L44	"content-rich repository" or "rich-content repository"	4	L44
L43	L42 and L31	69	L43
L42	(user same interface) with (web adj browser) and (access\$ near3 network) and (internet or intranet with common same language)	3746	L42
L41	(user same interface) with (web adj browser) and (access\$ near3 network)	3812	L41
L40	(user same interface) with (web adj browser)	8235	L40
L39	((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file) and (syndicat\$ same repository)	2	L39
L38	((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file)	1930	L38
L37	(updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)	1930	L37
L36	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file"))	6	L36
L35	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file" near3 network))	0	L35
L34	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database))	207	L34
L33	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).clm.	2	L33
L32	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).ab.	0	L32
L31	((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)	208	L31
L30	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)	271	L30
L29	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content)	2	L29

	and (GUI or "graphical user interface")and (search\$ or quer\$)		
<u>L28</u>	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	3	<u>L28</u>
<u>L27</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	790	<u>L27</u>
<u>L26</u>	705/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	228	<u>L26</u>
<u>L25</u>	709/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	290	<u>L25</u>
<u>L24</u>	707/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	619	<u>L24</u>
<u>L23</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content)	1647	<u>L23</u>
<u>L22</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (publish\$ sam4 content)	0	<u>L22</u>
<u>L21</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema	12932	<u>L21</u>
<u>L20</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database)	216719	<u>L20</u>
<u>L19</u>	("content-rich repository" or "rich-content repository") and (content same file)	3	<u>L19</u>
<u>L18</u>	("content-rich repository" or "rich-content repository") and (database adj, structure near3 "delta analysis")	0	<u>L18</u>
<u>L17</u>	("content-rich repository" or "rich-content repository") and (database adj, structure)	3	<u>L17</u>
<u>L16</u>	("content-rich repository" or "rich-content repository") and schema	3	<u>L16</u>
<u>L15</u>	"content-rich repository" or "rich-content repository"	4	<u>L15</u>
<u>L14</u>	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	3	<u>L14</u>
<u>L13</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	790	<u>L13</u>
<u>L12</u>	705/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	228	<u>L12</u>
<u>L11</u>	709/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	290	<u>L11</u>
<u>L10</u>	707/\$.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	619	<u>L10</u>
<u>L9</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content)	1647	<u>L9</u>
<u>L8</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (publish\$ sam4 content)	0	<u>L8</u>
<u>L7</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema	12932	<u>L7</u>

<u>L6</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database)	216719	<u>L6</u>
<u>L5</u>	("content-rich repository" or "rich-content repository") and (content same file)	3	<u>L5</u>
<u>L4</u>	("content-rich repository" or "rich-content repository") and (database adj, structure near3 "delta analysis")	0	<u>L4</u>
<u>L3</u>	("content-rich repository" or "rich-content repository") and (database adj, structure)	3	<u>L3</u>
<u>L2</u>	("content-rich repository" or "rich-content repository") and schema	3	<u>L2</u>
<u>L1</u>	"content-rich repository" or "rich-content repository"	4	<u>L1</u>

END OF SEARCH HISTORY